

HEAVY DUTY CHAIN BLOCK

Brand: OzBlok
Capacity: 16.0t to 50.0t

Integrating safety, durability and innovation, our heavy duty chain blocks provide reliable lifting in the most demanding industrial environments whilst ensuring operator safety. Lift, position and pull from any angle - even in confined spaces.

Australian Standard: AS 1418

Features

- ✓ Factory proof tested to 1.5x W.L.L.
- ✓ Super strength zinc plated alloy load chain
- ✓ Lower hook complete with thrust race bearing
- ✓ Fully machined lift wheel, supported by needle roller bearing
- ✓ Weather protected automatic Weston brake with unique Twin Pawls

Industries

- ✓ Construction
- ✓ Heavy Engineering
- ✓ Manufacturing
- ✓ Mining
- ✓ Offshore Exploration

Documents

- ↓ [Heavy Duty Chain Block Brochure](#)
- ↓ [Heavy Duty Chain Block Manual](#)
- ↓ [2024 - 16t Heavy Duty Chain Block Data Sheet](#)
- ↓ [2024 - 20t Heavy Duty Chain Block Data Sheet](#)
- ↓ [2024 - 30t Heavy Duty Chain Block Data Sheet](#)
- ↓ [2024 - 50t Heavy Duty Chain Block Data Sheet](#)
- ↓ [HES Brochure 2025](#)






Specifications

PRODUCT CODE	W.L.L.	STANDARD LIFT	FALLS OF CHAIN	HAND EFFORT TO LIFT W.L.L.	LOAD CHAIN DIAMETER	NET WEIGHT
CBOZ160-3	16.0t	3m	6	36kg	10.0mm	160.0kg
CBOZ160-6	16.0t	6m	6	36kg	10.0mm	199.6kg
CBOZ200-3	20.0t	3m	8	38kg x 2	10.0mm	176.0kg
CBOZ200-6	20.0t	6m	8	38kg x 2	10.0mm	215.6kg
CBOZ300-6	30.0t	6m	12	40kg x 2	10.0mm	258.0kg
CBOZ500-6	50.0t	6m	16	40kg x 2	11.2mm	720.0kg

Dimensions

PRODUCT CODE	A	B	C	D	E	F	Hmin
CBOZ160-3	441mm	120mm	78mm	400mm	222mm	110mm	1094mm
CBOZ160-6	441mm	120mm	78mm	400mm	222mm	110mm	1094mm
CBOZ200-3	429mm	125mm	105mm	376mm	222mm	113mm	1100mm





PRODUCT CODE	A	B	C	D	E	F	Hmin
CBOZ200-6	429mm	125mm	105mm	376mm	222mm	113mm	1100mm
CBOZ300-6	533mm	150mm	105mm	373mm	220mm	109mm	1139mm
CBOZ500-6	950mm	880mm	130mm	-	279mm	-	1650mm

