



OZ MECHANICAL MINI LEVER HOIST

Brand: OzBlok
Capacity: 0.25t to 0.50t

This compact, lightweight mini lever hoist is easy to carry and simple to operate. Small enough to store in a tool box, this lever hoist is ideal for lifting, lowering and positioning loads in tight quarters or elevated locations.

Australian Standard: AS 1418

Features


- ✓ Aluminum body
- ✓ Cast steel safety latches
- ✓ Lower hook with thrust bearing
- ✓ Super strength zinc plated alloy load chain
- ✓ Fully protected brake system and gear box

Industries

- ✓ Construction
- ✓ Engineering
- ✓ Mining (where aluminum is permitted)


Documents


- ↓ [Mini Lever Hoist Brochure](#)
- ↓ [Mini Lever Hoist Manual](#)
- ↓ [2024 - Mini Lever Hoist Data Sheet](#)
- ↓ [HES Brochure 2025](#)





HOISTING
EQUIPMENT
SPECIALISTS
Quality Lifting and Rigging Solutions






Specifications

PRODUCT CODE	W.L.L.	STANDARD LIFT	RUNNING TEST	FALLS OF CHAINS	LOAD CHAIN DIAMETER	NET WEIGHT
LHOZM002	0.25t	1.0m	0.375t	1	4.3mm	2.2kg
LHOZM005	0.50t	1.5m	0.750t	1	4.3mm	2.5kg

Dimensions





PRODUCT CODE	W.L.L.	A	B	C	D	E	F	G	S	T
LHOZM002	0.25t	100.5mm	81mm	250mm	160mm	62.5mm	42mm	24.5mm	34.5mm	12mm
LHOZM005	0.50t	100.5mm	81mm	250mm	160mm	62.5mm	42mm	24.5mm	34.5mm	12mm

